

# Doctor's Note — Clinical Trial Summary

Generated by FindMyCure.ai on May 28, 2026 | For discussion with your oncologist

---

## TRIAL

### Locoregional or Systemic Administration of Autologous Tumor Infiltrating Lymphocytes in Patients With Metastatic Melanoma

NCT ID: NCT07183852    Phase: PHASE1    Sponsor: Vastra Gotaland Region    Status: Not Yet Recruiting

## SUMMARY

The purpose of this study is to evaluate the feasibility, safety and tolerability of locoregional or systemic administration of autologous tumor infiltrating lymphocytes in patients with metastatic melanoma

## KEY ELIGIBILITY CRITERIA

- 1. Participants must be at least 18 years of age.
- 2. Can provide a signed informed consent as described in the protocol, including compliance with the requirements and restrictions listed in the ICF and in this protocol.
- 3. World Health Organization (WHO) Performance Status 0 or 1.
- 4. Patient must have a histologically/cytologically confirmed diagnosis of:
  - \* stage IV uveal melanoma with confirmed progression following prior systemic therapy with tebentafusp (if HLA A2:01 positive) OR
  - \* stage IV cutaneous melanoma with confirmed progression following prior systemic therapy with a programmed cell death protein-1 (PD-1) inhibitor with or without a CTLA-4 inhibitor
- 5. At least one resectable lesion in the liver (or aggregate of lesions resected) of a minimum size of 0.5 cm in diameter to generate TILs.
- 6. Measurable disease by computed tomography (CT) per RECIST 1.1 criteria after resection of lesion for TILs production
- 7. No other malignancies, except if treated with curative intent and with a cancer-related life expectancy of more than 5 years.
- 8. Female patient of childbearing potential should have a negative urine or serum pregnancy test within 72 hours prior to receiving the first treatment. If the urine test is positive or cannot be confirmed as negative, a serum pregnancy test will be required.

Total sites: 0 | 0 currently recruiting